

ALFRESCO COOKING

To suit your lifestyle

ATHERTON
RANGE



ALFRESCO LIVING

To suit your lifestyle

Condari presents the Atherton series of rangehoods - designed to remove all by-products of barbecues in alfresco areas.

Entertaining all year made easy in your indoor/ outdoor alfresco area with the correct barbecue and rangehood it makes for a perfect day.

2019 heralds a new concept in outdoor living to bring your ideas to reality.

All alfresco barbecue rangehoods are manufactured in Australia.

Made in Ringwood 3134.

ATHERTON RANGE



SOMERTON
page 5



STIRLING
page 7



AVENEL
page 9



PENINSULA
page 11

NOTE – Please read the information on page 15 regarding the position of the rangehood over a barbecue.




The SOMERTON Rangehood comes in two models either 1200mm or 1500mm wide and all come with 3 motors providing an air movement from 450cm up to 2700 cubic metres per hour.

All the hoods come with LED Strip type lighting and filters that wash in a dishwasher.

All models are either top or back ducted and can be changed on site.

ATHERTON RANGE

SOMERTON



Electrical connection is made at junction box inside rangehood.

Somerton comes top ducted and can be converted to back ducting on site by the installer.

“R” at the end of the model no. denotes remotely switched rangehood. Switching is not supplied.

Model	SOM 1200L-3 SOM 1200L-3R	SOM 1500L-3 SOM 1500L-3R	Model	SOM 1200L-3 SOM 1200L-3R	SOM 1500L-3 SOM 1500L-3R
Body Width	1200mm	1500mm	Filter Qty	8	6
Motor Qty	3	3	Filter Size	272 x 290mm	459 x 290mm
Light Qty	2	3	Conversion Top/Back Back/Top	Yes	Yes
Light Centres	545mm	460mm	Electrical Connection	Junction Box	Junction Box




The STIRLING shown above comes in two models and incorporates the same features as the Somerton but is in a box format. It is in the widths 1200 mm and 1500 mm. This also is top or back ducted and is wall mounted. All the Alfresco Rangehoods are made in stainless steel type 304

So even in a garden setting, smoke will linger and be very unpleasant and having correct ventilation is to ensure everyone will enjoy the afternoon or evening.

All models are either top or back ducted and can be changed on site.

ATHERTON RANGE

STIRLING



Electrical connection is made at junction box inside rangehood.

Stirling comes top ducted and can be converted to back ducting on site by the installer.

“R” at the end of the model no. denotes remotely switched rangehood. Switching is not supplied.

Model	STIR 1200L-3 STIR 1200L-3R	STIR 1500L-3 STIR 1500L-3R	Model	STIR 1200L-3 STIR 1200L-3R	STIR 1500L-3 STIR 1500L-3R
Body Width	1200mm	1500mm	Filter Qty	8	6
Motor Qty	3	3	Filter Size	272 x 290mm	459 x 290mm
Light Qty	2	3	Conversion Top/Back Back/Top	Yes	Yes
Light Centres	545mm	460mm	Electrical Connection	Junction Box	Junction Box



The AVENEL is the third model available and comes in the same widths as the others and has all the same features.

All rangehoods are made in Stainless Steel Type 304 Brushed with filters of 8 layers and a positive clip lock system. The motors are four pole tangential type and are all two speed.


The hood has 3 motors and each motor provides an air movement from 450 cm to 900 cubic metres per hour.

The total air movement is 2700 cubic metres per hour.

So be smoke free with Alfresco Rangehoods.

ATHERTON RANGE

AVENEL




Electrical connection is made at junction box inside rangehood.

Avenel comes top ducted and can be converted to back ducting on site by the installer.

"R" at the end of the model no. denotes remotely switched rangehood. Switching is not supplied.

Model	AVE 1200L-3 AVE 1200L-3R	AVE 1500L-3 AVE 1500L-3R	Model	AVE 1200L-3 AVE 1200L-3R	AVE 1500L-3 AVE 1500L-3R
Body Width	1200mm	1500mm	Filter Qty	8	6
Motor Qty	3	3	Filter Size	272 x 290mm	459 x 290mm
Light Qty	2	3	Conversion Top/Back Back/Top	Yes	Yes
Light Centres	545mm	460mm	Electrical Connection	Junction Box	Junction Box








The PENINSULA is designed to solve the problems caused by the type of barbecue explained on page 15 and the difficulty caused by some structural obstacles in the Alfresco area.

This rangehood can be installed in any position on the ceiling and easily ducted through the roof.

The PENINSULA comes with 3 motors providing an air movement from 450 cm up to 2700 cubic metres per hour which will clear all the by products from a high performance, barbecue with a mega joule rating from 50 mj up to 120 mj.

ATHERTON RANGE PENINSULA




This is a remotely switched rangehood.
Electrical connection is made at junction box inside rangehood.
This rangehood is finished in powdercote satin white or stainless steel.

Model	PEN 900-3	Model	PEN 900-3
Body Width	900mm	Filter Qty	8
Motor Qty	3	Filter Size	272mm x 272mm
Light Qty	N/A	Conversion Top/Back Back/Top	N/A
Light Centres	N/A	Electrical Connection	Junction Box

ATHERTON

FLUE




DL-4 SS 600

FLUE TO SUIT ALL WALL MOUNTED ATHERTON RANGEHOODS

BARBECUE RANGEHOOD


DUCT PIECES

400. DL-4




400. DL-4
400. DL-4 SS
400. DL-4 CP

401. HB 450x250




401. HB 450 x 250
401. HB 450 x 250 SS
401. HB 450 x 250 CP

402. VB 450x250




402. VB 450 x 250
402. VB 450 x 250 SS
402. VB 450 x 250 CP

403. HB 450x250/45




403. HB 450 x 250/45
403. HB 450 x 250/45 SS
403. HB 450 x 250/45 CP

404. VB 450x250/45



404. HB 450 x 250/45
404. HB 450 x 250/45 SS
404. HB 450 x 250/45 CP

405. BD/WV-H 450x250



405. BD/WV-H 450 x 250
405. BD/WV-H 450 x 250 SS
405. BD/WV-H 450 x 250 CP


WARNING Ventilation Systems Ducted Systems

All ducting pieces are made in Zinc Alume, Stainless Steel, Colourbond material or are powderkoted in a colour.

BARBECUE RANGEHOOD


DUCT PIECES

406. BD/WV-V 450x250




406. BD/WV-V 450 x 250
406. BD/WV-V 450 x 250 SS
406. BD/WV-V 450 x 250 CP

407. RCB




407. RCB
407. RCB SS
407. RCB CP

408. RCBA




408. RCBA
408. RCBA SS
408. RCBA CP

409. WVC-H-450x250




409. WVC-H-450 x 250
409. WVC-H-450 x 250 SS
409. WVC-H-450 x 250 CP

410. WVC-V-450x250



410. WVC-V-450 x 250
410. WVC-V-450 x 250 SS
410. WVC-V-450 x 250 CP

411. BD RC-4



410. BD RC-4
410. BD RC-4 SS
410. BD RC-4 CP

WARNING

Dimensions shown are accurate at the time of printing but Condari reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker/builder/kitchen designer for exact measurements.

VENTILATION FOR YOUR RANGEHOOD

Alfresco areas are becoming more popular and barbecues are becoming more elaborate and complex putting out more heat. The problem with ventilation is when the heat output of the barbecue is over 65 mega joule or each burner is 15 mega joules or greater. Correct ventilation allows full use of all the facilities in the Alfresco areas. The barbecue selected will determine the type of rangehood and the position for the rangehood.

DIAGRAM 1 shows a barbecue with the hood open at 90 degrees to the cooking surface and the smoke rises vertically. The rangehood can be placed over the top of the cooking surface. Some manufacturers recommend that you cook with the lid closed and the rangehood can be placed above the barbecue. The diagram shows the relationship of the barbecue to the rangehood.





DIAGRAM 2 shows the barbecue lid is pivoted in the centre of the base and therefore covers the back half of the cooking surface. There are many models on the market that are like this and the smoke comes out from the cooking surface at about 60 degrees to the horizontal. The rangehood needs to be in front of the barbecue so it will catch all the by products of the cooking. The position will be determined by the height of the ceiling. This diagram explains the problem and the solution to this.



We recommend an air movement up to 2700 cubic metres per hour over all outdoor barbecues and for DIAGRAM 2 it may be necessary to have an air movement up to 3600 cubic metres depending on the ducting required.



Manufactured in Australia by Condari Pty Ltd
T 1300 360 563
www.condari.com.au

Head office VIC
T 03 9482 7088 F 03 9482 7011
Email: sales@qasair.com.au

NSW / ACT
T 02 9316 4599 F 02 9316 9299
Email: salesnsw@qasair.com.au

QLD
T 07 3423 3503 F 07 3282 9122
Email: salesqld@qasair.com.au

SA / NT
T 1300 360 563 F 03 9482 7011
Email: salessa@qasair.com.au

TAS
T 03 9482 7088 F 03 9482 7011
Email: sales@qasair.com.au

WA
T 08 9242 5387 F 08 9201 0887
Email: saleswa@qasair.com.au

New Zealand - Kouzina Appliances
T +64 9 377 7822 F +64 9 377 7824
Email: sales@kouzina.co.nz

Singapore - Eldric Marketing
T +65 6369 1188
Email: jingsongsing@eldric.sg

RANGEHOODS MADE IN RINGWOOD 3134
Condari reserves the right to change specification without notice.



Printed in Melbourne Australia 09/19



www.condari.com.au