



# Arlington Rangehoods

Courtesy of Let's Talk Kitchens



 **Australian** made and owned

## Introducing The Arlington Range from Qasair

Manufactured to exhaust all the by-products of cooking from the latest high performance cookers that are now coming onto the market.

New concepts in kitchen design are happening in the world today and new ways of elevating the kitchens to a living space that all can enjoy and use for family satisfaction.

All new styles and functions in appliances have caused a rethink on kitchen design particularly with preparation and cooking.

These new cooking appliances are coming from various countries all over the world and the main brands are: Capital, Fagor, Mareno, Viking and Wolf

All these cooking appliances are very serious in that they have a high heat output with a rating from 80 mega joule to 120 mega joules.

This is well over double the output of normal domestic cookers available on the Australian market.

Consequently, with this heat output it is necessary to have an air movement with the rangehood to exhaust all the odours, grease, and heat from the cooking appliance.

The Arlington Range comes in 4 models and range from 1000 mm to 1600 mm wide and come with 2, 3 or 4 motors. The air movement is 1800 cubic metres per hour up to 3600 cubic metres per hour depending on which rangehood is selected.


Some of the cookers have an open flame griller and the filters in these cases must be 1200 mm above the cooking surface.

This is a regulation by the Australian Gas Association and is covered in the Gas Installation Code AG 601-2002.



# Cobar WCV Undercupboard


Cobar under cupboard rangehood is made to go over high heat output cookers and is 600 mm deep to cover the cooking surface and also deeper benches which are becoming more popular with architects. Filters will collect all the by products of cooking and will keep the kitchen odour free all the time.



Model	WCV 1000L-2	WCV 1300L-3	Model	WCV 1000L-2	WCV 1300L-3
Body Width	1000mm	1300mm	Light Qty	4	4
Motor Box/Flue Width	980mm	1280mm	Light Centres	580mm	580mm
Motor Qty	2	3	Filter Qty	3	4
LED Light	Cool	Cool	Electrical Connection	10 Amp Lead	10 Amp Lead
Nightlight	Yes	Yes	Conversion Top/Back Back/Top	Yes	Yes



# Cobar WCV Undercupboard



Model	WCV 1600L-3		
Body Width	1600mm	Light Qty	4
Motor Box/Flue Width	1580mm	Light Centres	872mm
Motor Qty	3	Filter Qty	5
LED Light	Cool	Conversion Top/Back Back/Top	Yes
Nightlight	Yes	Electrical Connection	10 Amp Lead


# Jamieson JAM Wall Mounted

Jamieson wall mounted rangehood comes in stainless steel or can be in a powderkote colour.

This hood is 650 mm deep to cover the cooking surface and is necessary over these types of cooking appliances.

Lights are LED Strip Type and the filters fit into a dishwashing machine.

The filters are 400 mm above the base in the case that the hood has to go over an open flame gas griller which means the filter has to be 1200 mm above the cooktop.




Recommended installation height 800mm above the cooking surface of an indoor compliant open flame BBQ or high powered cookware.

Model	JAM 1000L-2	JAM1300L-3	Model	JAM 1000L-2	JAM 1300L-3
Body Width	1000mm	1300mm	Light Centres	580mm	580mm
Motor Qty	2	3	Filter Qty	3	4
LED Light	Cool	Cool	Electrical Connection	Junction Box	Junction Box
Nightlight	Yes	Yes	Minimum Height	700mm	700mm
Light Qty	2	2	Maximum Height	1400mm	1400mm



# Jamieson JAM Wall Mounted



Recommended installation height 800mm above the cooking surface of an indoor compliant open flame BBQ or high powered cookware.

Model	JAM1600L-4	Model	JAM 1600L-4
Body Width	1600mm	Light Centres	375mm
Motor Qty	4	Filter Qty	5
LED Light	Cool	Electrical Connection	Junction Box
Nightlight	Yes	Minimum Height	700mm
Light Qty	4	Maximum Height	1400mm




# Kent KEN Undercupboard

Kent under cupboard rangehood is designed specifically to go over cookers with an open flame griller with the filter 400 mm above the base.

This means the filter must be 1200 mm above the cooking top.

To remove the filters, you can reach into the unit or if you have cupboard doors in the front the filters will slide out simply and fit into a dishwasher.




Recommended installation height 800mm above the cooking surface of an indoor compliant open flame BBQ or high powered cookware.

Model	KEN 1000L-2	KEN1300L-3	Model	KEN 1000L-2	KEN 1300L-3
Body Width	1000mm	1300mm	Light Qty	2	2
Motor Box/Flue Width	980mm	1280mm	Light Centres	600mm	600mm
Motor Qty	2	3	Filter Qty	3	4
LED Light	Cool	Cool	Conversion Top/Back Back/Top	Yes	Yes
Nightlight	Yes	Yes	Electrical Connection	10 Amp Lead	10 Amp Lead



# Kent KEN Undercupboard




Recommended installation height 800mm above the cooking surface of an indoor compliant open flame BBQ or high powered cookware.

Model	KEN 1600L-4	Model	KEN 1600L-4
Body Width	1600mm	Light Qty	4
Motor Box/Flue Width	1580mm	Light Centres	375mm
Motor Qty	4	Filter Qty	5
LED Light	Cool	Conversion Top/Back Back/Top	Yes
Nightlight	Yes	Electrical Connection	10 Amp Lead



# Murray MUR Wall Mounted



Murray wall mounted rangehood in stainless steel or powderkote colours. Again, this hood is 650 mm to ensure full coverage of the cooking surface. If required, we can supply a shroud (shown next page) to finish the rangehood to the ceiling. As with the other rangehoods the air movement on maximum is 900 cubic metres per hour per motor.



Model	MUR 1000L-2	MUR 1300L-3	Model	MUR 1000L-2	MUR 1300L-3
Body Width	1000mm	1300mm	Light Qty	4	4
Motor Box/Flue Width	N/A	N/A	Filter Qty	3	4
Motor Qty	2	3	Light Centres	580mm	580mm
LED Light	Cool	Cool	Conversion Top/Back Back/Top	Yes	Yes
Nightlight	Yes	Yes	Electrical Connection	Junction Box	Junction Box




# Murray MUR Wall Mounted




Model	MUR 1600L-3	Model	MUR 1600L-3
Body Width	1600mm	Light Qty	4
Motor Box/Flue Width	N/A	Light Centres	872mm
Motor Qty	3	Filter Qty	5
LED Light	Cool	Conversion Top/Back Back/Top	Yes
Nightlight	Yes	Electrical Connection	Junction Box




# Murray MUR Wall Mounted



**MUR 1000L-2 SHROUD**



**MUR 1300L-3 SHROUD**



**MUR 1600L-3 SHROUD**

Model	MUR 1000L- 2 SHROUD	MUR 1300L- 3 SHROUD	MUR 1600L- 3 SHROUD
Minimum Height	25mm	25mm	25mm
Maximum Height	1400mm	1400mm	1400mm
Powderkote® available	N/A	N/A	N/A





QASAIR

CAFE

WOLF





Manufactured in Australia by Condari Pty Ltd  
T 1300 360 563  
[www.qasair.com.au](http://www.qasair.com.au)  
[www.condari.com.au](http://www.condari.com.au)

Head office VIC  
T 03 9482 7088 F 03 9482 7011  
Email: [sales@qasair.com.au](mailto:sales@qasair.com.au)

NSW / ACT  
T 02 9316 4599 F 02 9316 9299  
Email: [salesnsw@qasair.com.au](mailto:salesnsw@qasair.com.au)

QLD  
T 07 3423 3503 F 07 3282 9122  
Email: [salesqld@qasair.com.au](mailto:salesqld@qasair.com.au)

SA / NT  
T 1300 360 563 F 03 9482 7011  
Email: [salessa@qasair.com.au](mailto:salessa@qasair.com.au)

TAS  
T 03 9482 7088 F 03 9482 7011  
Email: [sales@qasair.com.au](mailto:sales@qasair.com.au)

WA  
T 08 9242 5387 F 08 9201 0887  
Email: [saleswa@qasair.com.au](mailto:saleswa@qasair.com.au)

New Zealand - Kouzina Appliances  
T +64 9 377 7822 F +64 9 377 7824  
Email: [sales@kouzina.co.nz](mailto:sales@kouzina.co.nz)

Singapore - Eldric Marketing  
T +65 6743 8388 F +65 6743 0202  
Email: [enquiry@eldric.sg](mailto:enquiry@eldric.sg)

**RANGEHOODS MADE IN RINGWOOD 3134**

QASAIR reserves the right to change specification without notice.  
® is a registered trademark.  
Printed in Melbourne Australia 06/2021

